STATEMENT OF WORK FOR THE Rebuild of the PANEL ASSEMBLY For the AN/TTC-42(V) NSN: 5895-01-319-7620

- 1.0 <u>Scope</u>. This Statement of Work (SOW) establishes, sets forth tasks and identifies the work efforts that shall be performed by the Contractor (for purposes of this SOW, Contractor is defined as the commercial or government entity performing the rebuild) to rebuild the Panel Assembly, NSN 5895-01-319-7620, Part Number 727212-3, CAGE 16340, for the AN/TTC-42(V). This document contains requirements to restore the Panel Assembly to Condition Code "A". Condition Code "A" is defined as "serviceable/issuable without qualification, new, used, repaired or reconditioned materiel which is serviceable and issuable to all customers without limitation or restriction, including materiel with more than six months shelf-life remaining".
- 1.1 <u>Background</u>. Rebuild is defined as "That maintenance technique to restore an item to a standard as near as possible to original or new condition in appearance, performance, and life expectancy. This is accomplished through a maintenance technique or complete disassembly of the item, inspection of all parts or components, repairs or replacement of worn or unserviceable elements using original manufacturing tolerances and/or specifications and subsequent reassembly of the items."
- 2.0 <u>Applicable Documents</u>. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the DoD Index of Specifications and Standards (DoDISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

2.1 Military Standards

MIL-STD-129 DoD Standard Practice for Military Marking

MIL-STD-2073-1D DoD Standard Practice for Military Packaging

2.2 Other Government Documents and Publications

RS 08440A-50 Rebuild Standard for the Central Office, Telephone,

Automatic, AN/TTC-42(V)

DoD 4000.25-1-M MILSTRIP Manual

NAVICPINST 4491.2A Requisitioning of Contractor Furnished Materiel

(CFM) from the Federal Supply System

727212-3 Panel Assembly

PL727212-3 Parts List, Panel Assembly

727320-4	Input Conditioning Circuit Card Assembly
PL727320-4	Parts List, Input Conditioning Circuit Card Assembly
S727320-4	Schematic, Input Conditioning Circuit Card Assembly
727321-3	Input Filter Circuit Card Assembly
PL727321-3	Parts List, Input Filter Circuit Card Assembly
S727321-3	Schematic, Input Filter Circuit Card Assembly
727503-3	Housing Assembly, A Output/EMI Filter
PL727503-3	Parts List, Housing Assembly, A Output/EMI Filter
727504-3	Housing Subassembly, Input Filter
PL727504-3	Parts List, Housing Subassembly, Input Filter
727505-3	Housing Subassembly, HV/Bite Filter
PL727505-3	Parts List, Housing Subassembly, HV/Bite Filter
727323-3	A Output/EMI Filter Circuit Card Assembly
PL727323-3	Parts List, A Output/EMI Filter Circuit Card Assembly
S727323-3	Schematic, A Output/EMI Filter Circuit Card Assembly
727325-3	HV Input/Bite Filter Circuit Card Assembly
PL727325-3	Parts List, HV Input/Bite Filter Circuit Card Assembly
S727325-3	Schematic, HV Input/Bite Filter Circuit Card Assembly

Military Handbook (For Guidance)

MIL-HDBK-61 Configuration Management Guidance

2.3 <u>Industry Standards</u>

JESD625-A DischargeRequirements for Handling Electrostatic-Sensitive (ESDS) Devices

ANSI/ISO/ASQC Q9003-1994

Quality Systems – Model for Quality Assurance in Final Inspection and Test

Industry Standard (For Guidance)

ANSI/EIA-649

National Consensus Standards for Configuration Management

Copies of Military Specifications and Standards are available from the DoD Single Stock Point, Document Automation and Production Service, Building 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, commercial telephone number (215) 697-2179 or DSN 442-2179 or on the internet at http://www.dodssp.daps.mil. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Commander, Attn: Contracting Officer (Code 891), Marine Corps Logistics Bases, 814 Radford Blvd., Albany, Georgia 31704-1128, commercial telephone number (229) 639-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, shall be obtained from Life Cycle Management Center, Attn: Code 851-3, 814 Radford Blvd. Suite 20320, Albany, Georgia 31704-0320, commercial telephone number (229) 639-6410 or DSN 567-6410.

3.0 Requirements

3.1 The Contractor shall rebuild the Panel Assembly for the AN/TTC-42(V) in accordance with RS 08440A-50 and Engineering Drawings 727212-3, PL727212-3, 727320-4, PL727320-4, S727320-4, 727321-3, PL727321-3, S727321-3, 727503-3, PL727503-3, 727504-3, PL727505-3, PL727505-3, PL727505-3, PL727323-3, PL727323-3, S727323-3, 727325-3, PL727325-3 and S727325-3.

3.2 Packaging, Handling, Storage and Transportation (PHS&T)

- a. The Contractor shall be responsible for preservation and packaging of items being rebuilt under the terms of this statement of work. Items being prepared for long-term storage or shipment to overseas destinations shall be in accordance with level "A" requirements of MIL-STD-2073-1D, Appendix A, Table A.VI, Electronic Equipment. Items being prepared for immediate use, domestic shipment or short-term storage shall be prepared to level "B" requirements.
 - b. Marking of all items shall be in accordance with MIL-STD-129.
- c. The Marine Corps will provide the Contractor with the shipping address(es) for delivery of the rebuilt equipment. The Contractor shall be responsible for arranging for shipment

to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.

- 3.3 <u>Configuration Control</u>. The Contractor shall implement configuration control to established configuration items. Deviation from the established baseline configuration will not be allowed without the approval in writing from the Weapon System/Equipment Manager (Code 847-3). If necessary to temporarily depart from the authorized configuration, the Contractor shall prepare and submit a Request for Deviation. MIL-HDBK-61 (paragraph 4.3 Table 4-9) and ANSI/EIA-649 (paragraph 5.3.4) provide guidance for preparing this configuration control document.
- Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM) GFE is government owned equipment authorized by contract for use by a commercial/government contractor. It is neither consumed during the production nor incorporated into any product. GFM is materiel furnished to a contractor that will be consumed during the course of production or incorporated into product being manufactured/remanufactured under a contract/statement of work. In the event the Marine Corps does have GFE/GFM requirements, the Management Control Activity (MCA/Code 827-2), Marine Corps Logistics Bases, Albany, Georgia, will coordinate required GFE and will maintain a central control on Marine Corps assets in the Contractor's possession. The MCA will forward a GFE Accountability agreement to the Contractor Facility for signature to establish a chain of custody and property responsibilities for Marine Corps assets. The Contractor shall report receipt of all GFM and report consumption of GFM to the MCA.
- 3.5 <u>Quality Assurances Provisions</u>. The Contractor shall provide and maintain a Quality System that as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9003-1994, Quality System Model for Quality Assurance in Final Inspection and Test.
- 3.6 <u>Electrostatic Discharge (ESD) Control Program</u>. The Contractor shall establish, implement and document an ESD control program following the guidelines provided in JESD625-A. ESD protective measures shall be used during manufacturing, handling, inspection, test, marking, packaging, storing and transporting ESD sensitive components.
- 3.7 <u>Contractor Furnished Materiel</u>. The Marine Corps has adopted the Navy's procedures regarding Contractor Furnished Materiel (NAVICPINST 4491.2A). In the event CFM is required for repair parts, the contractor shall requisition through the DoD Supply System. DoD 4000.25-1-M, (MILSTRIP) Chapter 11 authorizes contractors to requisition through the DoD Supply System.

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved UMB No. U/U4-U188

The public reporting burden for this collection of information is estimated to everage 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Departments and Reports (0701-0188), 1215 Jafferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notivitistanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

The public reporting burden for reducing the burden, to Department of Defense, Washington, and the collection of information of this subject to any penalty for failing to comply with a collection of information of information, including suggestions, for reducing the burden, to Department of Defense, Washington including suggestions for reducing the burden, to Department of Defense, Washington including suggestions for reducing the burden, to Department of Defense, Washington including suggestions for reducing the burden, to Department of Defense, and the provision of the Control number in Control number in Control number.

The public reporting including suggestions for reducing the burden, to Department of Defense, and the public reporting including suggestions, including suggestions, including suggestions, including suggestions for reducing the burden, including suggestions for r

A. CONTRACT LINE	ITEM NO.	B. EXHIBIT		C. CATEGORY: TDP TM OTHER X						
D. SYSTEM/ITEM Panel Assembly			E. CONTRACT/PR NO.		F. CONTRA	F. CONTRACTOR				
1. DATA ITEM NO. 2. TITLE OF DATA ITEM				3. SUBTITLE						17. PRICE GROUP
A001		Request For Deviation					Configuration Management			
4. AUTHORITY (Bata Acquis			5. CONTRACT REFEREN		E. HEQUIRING OFFICE					18. ESTIMATED TOTAL PRICE
DI-CMAN-80640C			SOW 3.3			MCLBA (851)				
7. DD 250 REQ LT	9. DIST STATEMENT REQUIRED	10. FREQUENT	asreq	12. DATE OF FIRST SUBMISSI See Blk 1		14. DISTRIBUTION				
8. APP CODE	_	11, AS OF DATE		13. DATE OF SUBSEQUENT		a AODRESSEE		b. COPIES	<u> </u>	
A	A		-	SUBMISSION		a AUDICOSEL	Draft Reg Repro		Repro	
16 REMARKS	PEMARKS				16	MCLBA (851-2)	0	1	0	·
Blk 4 - Contractor format is authorized and shall be submitted in .doc or .pdf format.						1,102211 (001 27	1			
	REDe chall be en	hmitted (o obtain autho	rization to deliver						
Blks 10 & 12 - RFDs shall be submitted to obtain authorization to deliver nonconforming meterial which does not meet the prescribed configuration documentation.									!	
										ļ
RFDs will be r	eviewed and dispe Government.	osition de	etermined with	in 30 calendar day	ys upon			<u></u>		
								<u> </u>		
mbmatcomeon	transmitted via e- figmngmnt@mate	mail to thome	ie following ac	idress:				<u> </u>		
Distribution Sta	atement A: Appre	oved for	public release	distribution is un	limited.		1			
										1
							<u> </u>			
							 			
								l ——		
1								-		
										3
								ŀ		
								·· ·		•
							1			
							<u> </u>	<u> </u>		
								ļ. ——		
									L ,	
							1	L	-	
										
								<u> </u>	<u> </u>	
			A1	1		15. TOTAL	0	1	0	
G. PREPARED BY	αM		H. DATE	I. APPROVED E	Y _/2	~ /// ·	J. DAT	,		
Hamos	C. War	B	19/24/12) 4/6	/ Al	call	31	lou i	QC	
DD FORM 1423-	<u> </u>		PR PR	EVIOUS EDITION MAY BE	USED		Page	af	Pages	į I
20 1 CHM 1423.	1, AUG 30 (LG)		<i>-</i> / '''	L. COO LES TON	,	./ Designed	using Perform			